


GAME GREADY[®] COLD & INTERMITTENT PNEUMATIC COMPRESSION THERAPY



ENHANCE POST-SURGICAL RECOVERY

The GAME READY* solution by Avanos is a post-surgical treatment of choice for thousands of orthopaedic doctors and physical therapists around the world.[†]

THE CLINICALLY PROVEN GAME READY SYSTEM^{3,4,8}



With the increased number of shoulder surgeries performed, identifying ways to reduce opioid consumption post-operatively is imperative for orthopaedic surgeons to reduce opioid prescriptions.⁴

> Cryotherapy is commonly utilized following shoulder surgery to decrease swelling and inflammation, as well as to help alleviate postoperative pain.⁴

Cryocompression patients showed a significant decrease in post-operative opioid consumption and a significant increase in self-reported function was seen 2 weeks when compared to standard care.⁴

GAME READY OFFERS EFFECTIVE PAIN MANAGEMENT WHILE HELPING TO REDUCE THE USE OF THE OPIOID MEDICATIONS^{1,4,5,6,7}

PROVEN CLINICAL BENEFITS



- Reduces patient opioid consumption and may allow for earlier discontinuation of opioid medications in certain patients.^{1,4,5,6,7}
- Decreases pain and oedema.^{3,4,8,9}
- May increase patient satisfaction with the recovery process.^{4,8,10}
- May lead to early hospital discharge [shorter length of stay] in some patients.^{7,8}
- May lower postoperative blood loss.³

OUTPERFORMING CONVENTIONAL REST, ICE, COMPRESSION, AND ELEVATION (RICE) METHODS^{3,4,8}

Following surgical performance, the rehabilitation and recovery process is critical to successful patient outcomes.

With the GAME READY therapy you can extend your quality care beyond the operating room, and with the recovery process you may increase patient satisfaction after an injury, orthopaedic repair, or joint replacement surgery.^{3,4,5,7,8,10}

Game Ready offers effective pain management while helping to reduce the use of the opioid medications, when compared to routine care, that have caused an epidemic affecting human lives, the financial impact to healthcare industry, and the economy.

INTEGRATED COLD AND INTERMITTENT PNEUMATIC COMPRESSION, ALL IN ONE POWERFUL SYSTEM[†]



EASY TO USE[†]

Setup is simple and intuitive. Users can select from six automated programmes, manually control their own protocols, and customise temperature, compression, and treatment time settings with the touch of a button or turn of a dial.



SELECT PROGRAMME



ADJUST TIME



ADJUST COMPRESSION



ADJUST TEMPERATURE



START/STOP

DUAL-ACTION WRAPS COLLECTION Targeted Therapy for Injury and Surgery Recovery

GAME READY's dual-action ATX[®] Wraps (Active Temperature Exchange) enables integrated cold and compression therapy created specifically for each body part.

- The low-profile, lightweight wraps are anatomically designed and offer circumferential coverage[†]
- Available for **most major body parts in a variety of sizes**, all wraps are compatible with the GRPro 2.1 system

THE DIFFERENCE OF ATX® WRAP TECHNOLOGY

GAME READY's dual-action ATX® Wraps enable the simultaneous delivery of adjustable intermittent pneumatic compression and continuous cold or heat therapy throughout treatment.



WHEN YOU PRESCRIBE GAME READY FOR YOUR PATIENTS, YOU HELP THEM HAVE THE RECOVERY THEY NEED TO ACHIEVE THE OUTCOMES YOU EXPECT 3,4,5,7,8,10

CRYO-PNEUMATIC COMPRESSION RESULTS IN A SIGNIFICANT DECREASE IN OPIOID CONSUMPTION AFTER SHOULDER SURGERY:

A Multicenter Randomized Controlled Trial

"In patients undergoing unilateral shoulder surgery, the use of Game Ready cryotherapy with pneumatic compression, when compared with standard care, resulted in significantly decreased opioid consumption as well as increased function at 2 weeks."

^o Am J Sports Med . 2024 Sep;52(11):2860-2865. doi: 10.1177/03635465241270138. Epub 2024 Aug 21

CLINICAL STUDIES SHOW GAME READY THERAPY MAY INCREASE PATIENT SATISFACTION WITH THE POSTOPERATIVE RECOVERY PROCESS^{4,8,10}

[†] Claim data on file with Avanos

- 1. Waterman B, Walker JJ, Swains C, Shortt M, Todd MS, Machen SM, Owens BD. The efficacy of combined cryatherapy compression compared with cryatherapy alone following anterior cruciate ligament reconstruction.
- Corey T Gatewood, Andrew A Tran, Jason L Dragoo. The efficacy of post-operative devices following knee arthroscopic surgery: a systematic review. Knee Surg Sports Traumatol Arthrosc. 2017;25(2):501-516. doi: 10.1007/s00167-016-4326-4. Epub 2016 Oct 1. https://pubmed.ncbi.nlm.nih.gov/2r695905/
 Worger J, Cality L, Worgny M, Chiron P, Cavaignac E, Laffosse JM. Cryotherapy with dynamic intermittent compression improves recovery from revision total knee arthroplasty. The Journal of Arthroplasty. 2017; 1-4.
- https://pubmed.ncbi.nlm.nih.gov/28465126. 4. Su EP, Perna M, Boettner F, Mayman DJ, Gerlinger T, Barsoum W, Randolph J, Lee G. A prospective, multi-center, randomised trial to evaluate the efficacy of a cryopneumatic device on total knee arthroplasty recovery.
- The Journal of Bone and Joint Surgery, 2012; 94-B, Supple A:153-6. https://www.ncbi.nlm.nih.gov/pubmed/23118406. 5. Murgier J, Cassard X. Cryotherapy with dynamic intermittent compression for analgesia after anterior cruciate ligament reconstruction. Preliminary study. Orthopaedics & Traumatology: Surgery & Research. 2014; 100:309-312. https://www.ncbi.nlm.nih.gov/pubmed/24679367.
- https://www.ncbi.nlm.nih.gov/pubmed/246/936/. 6. Nabuyev VN, Ayhan S, Adhkar P, Cetn E, Palaoglu S, Acaroglu RE. Cryo-compression therapy after elective spinal surgery for pain management: a cross-sectional study with historical control. Neurospine. 2018; 15(4):348-352. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6347345/pdf/ns-1836070-035.pdf. 7. Bellon M, Michelet D, Carrara N, Vacher T, Gafsou B, Ilhareborde B, Mazda K, Ferrero E, Simon AL, Julien Marsollier F, Dahmani S. Efficacy of the Game Ready[®] cooling device on postoperative analgesia after scoliosis surgery in children. European Spine Journal. 2019; 28:1257-1264. https://link.springer.com/article/10.1007%2Fs00586-019-05886-6. 8. Klaber J, Greeff E, O'Donnell J. Compressive cryotherapy is superior to cryotherapy alone in reducing pain after hip arthroscopy. Journal of Hip Preservation Surgery. 2019; 0(0):1-6. https://academic.oup.com/jhps/advance-article/doi/10.1093/jhps/hnz048/5610188.

- 9. As with all RICE applications
- 10.Leegwater NC, Willems JH, Brohet R, Nolte PA. Cryocompression therapy after elective arthroplasty of the hip. Hip International. 2012; 22 (05):527-533. https://www.ncbi.nlm.nih.gov/pubmed/23112075.





