

Salli Saddle Chair dimensions


* With LONG foot height control gas spring, the user should be approx 5 cm taller than recommended user.
Mini gas spring is available for special circumstances, use depends on the working height, not on the height of the user.

Twin

Total weight 10,4 kg
Seat weight 6,8 kg


Standard gas spring:

mini: 420 ~ 510 mm
short: 465 ~ 600 mm
medium: 590 ~ 770 mm
long: 620 ~ 880 mm



Foot Height Control gas spring:

short: 480 ~ 610 mm
medium: 575 ~ 765 mm
*long: 655 ~ 910 mm




User height (cm)	<160	160-180	>165
Gas spring	short	medium	long

Swing

Total weight 10,2 kg
Seat weight 6,6 kg


Standard gas spring:

mini: 435 ~ 525 mm
short: 490 ~ 625 mm
medium: 600 ~ 785 mm
long: 645 ~ 905 mm



Foot Height Control gas spring:

short: 490 ~ 620 mm
medium: 585 ~ 775 mm
*long: 665 ~ 920 mm




User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

MultiAdjuster

Total weight 11,1 kg
Seat weight 7,5 kg


Standard gas spring:

mini: 435 ~ 525 mm
short: 480 ~ 615 mm
medium: 585 ~ 770 mm
long: 635 ~ 895 mm



Foot Height Control gas spring:

short: 470 ~ 600 mm
medium: 575 ~ 760 mm
*long: 650 ~ 900 mm




User height (cm)	<160	160-180	>165
Gas spring	short	medium	long

SwingFit

Total weight 11,0 kg
Seat weight 7,4 kg


Standard gas spring:

mini: 445 ~ 535 mm
short: 500 ~ 635 mm
medium: 610 ~ 800 mm
long: 665 ~ 925 mm



Foot Height Control gas spring:

short: 500 ~ 630 mm
medium: 605 ~ 790 mm
*long: 680 ~ 935 mm




User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

Professional

Total weight 9,7 kg
Seat weight 6,0 kg


Standard gas spring:

mini: 435 ~ 522 mm
short: 490 ~ 622 mm
medium: 600 ~ 780 mm
long: 645 ~ 905 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<160	160-180	>165
Gas spring	short	medium	long

Job

Total weight 6,0 kg


Standard gas spring:

short: 380 ~ 470 mm
medium: 510 ~ 705 mm
long: 590 ~ 845 mm



Foot Height Control gas spring:

not available
not available
not available



User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Salli Saddle Chair dimensions


* With LONG foot height control gas spring, the user should be approx 5 cm taller than recommended user.

Mini gas spring is available for special circumstances, use depends on the working height, not on the height of the user.

Twin & Allround

Standard gas spring:

mini: 460 ~ 550 mm
short: 505 ~ 600 mm
medium: 630 ~ 770 mm
long: 710 ~ 880 mm



Foot Height Control gas spring:


short: 520 ~ 650 mm
medium: 615 ~ 765 mm
*long: 695 ~ 950 mm

User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

Multijuster & Allround

Standard gas spring:

mini: 475 ~ 565 mm
short: 520 ~ 615 mm
medium: 625 ~ 770 mm
long: 675 ~ 895 mm



Foot Height Control gas spring:


short: 510 ~ 640 mm
medium: 615 ~ 760 mm
*long: 690 ~ 940 mm

User height (cm)	<163	165-185	>170
Gas spring	short	medium	long

Swing, Allround & big base

Standard gas spring:

mini: 505 ~ 595 mm
short: 550 ~ 655 mm
medium: 660 ~ 815 mm
long: 705 ~ 935 mm



Foot Height Control gas spring:


short: 560 ~ 690 mm
medium: 645 ~ 805 mm
*long: 735 ~ 990 mm

User height (cm)	<170	170-190	>175
Gas spring	short	medium	long

SwingFit, Allround & big base

Standard gas spring:

mini: 515 ~ 605 mm
short: 560 ~ 665 mm
medium: 670 ~ 825 mm
long: 715 ~ 945 mm



Foot Height Control gas spring:


short: 570 ~ 700 mm
medium: 655 ~ 815 mm
*long: 750 ~ 1005 mm

User height (cm)	<170	170-190	>175
Gas spring	short	medium	long

Twin, Stretching support & big base

Standard gas spring:

mini: 460 ~ 550 mm
short: 495 ~ 630 mm
medium: 610 ~ 800 mm
long: 650 ~ 950 mm



Foot Height Control gas spring:


short: 520 ~ 650 mm
medium: 605 ~ 795 mm
*long: 695 ~ 950 mm

User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

Multijuster, Stretching support & big base

Standard gas spring:

mini: 475 ~ 565 mm
short: 510 ~ 645 mm
medium: 615 ~ 800 mm
long: 665 ~ 925 mm



Foot Height Control gas spring:

short: 510 ~ 640 mm
medium: 605 ~ 790 mm
*long: 690 ~ 940 mm

User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

Salli Saddle Chair dimensions


* With LONG foot height control gas spring, the user should be approx 5 cm taller than recommended user.

Mini gas spring is available for special circumstances, use depends on the working height, not on the height of the user.


Total weight 11,0 kg
Seat weight 7,4 kg

Classic

Standard gas spring:




Foot Height Control gas spring:




User height (cm)	<160	160-180	>165
Gas spring	short	medium	long

Classic & Stretching Support & big base

Standard gas spring:




Foot Height Control gas spring:




User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

Classic & Allround

Standard gas spring:



Foot Height Control gas spring:



User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

Accessories - further information

Accessories	weight	notify
Allround	4,36 kg	big base with swing and swingfit
Elbow rest	2,54 kg	
Stretching Support	2,16 kg	big base
Surgeon	4,32 kg	
Ergorest with stretching support	4,00 kg	
Foot adjustment	1,28 kg	
Big base	+ 0,70 kg	difference to normal base
Small base	- 0,10 kg	difference to normal base
Gas spring lengths (cylinder)	length	notify
mini	185 mm	available for special use or work environment
short	235 mm	
medium	325 mm	
long	385 mm	